
North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☐ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☒ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Tradco Corporation, Inc.

Product Name: Washer Solvent #722600, 722601, 722602

Material Safety Data Sheet

May be used to comply with
OSHA'S Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

WASHER SOLVENT #722600, 722601, 722602

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

TRADCO CORPORATION

(800)255-3924

1081 ROSEMARY BLVD

(800)486-7669

AKRON

OH

44306

USA

05/01/99

Section II – Hazardous Ingredients/Identity Information

METHANOL

CAS# 67-56-1

WATER

CAS# 7732-18-5

BLUE DYE

CAS# 3844-45-9

Section III – Physical/Chemical Characteristics

148° F

.969

97.68

N/A

N/A

N/A

100%

BLUE IN COLOR, SLIGHT ALCOHOL ODOR

Section IV – Fire and Explosion Hazard Data

98° F

N/A

Use alcohol foam, dry chemical or carbon dioxide

Vapors are heavier than air and may travel along the ground, or may be moved by ventilation and ignited by pilot lights or other flames. Wear self-contained breathing apparatus with a full face piece when fighting fires.

Never use torch or cutting torch near drum because product may ignite. Vapors are heavier than air, and may travel along the ground, or may be moved by ventilation.

Section V – Reactivity Data

	Unstable		Avoid strong oxidizing agents.
	Stable	✓	

May form toxic materials: Carbon Dioxide, Carbon Monoxide, various hydrocarbons.

	May Occur	
	Will Not Occur	✓

Section VI – Health Hazard Data

Inhalation?	Skin?	Ingestion?
Yes	Yes	Yes

Over exposure to EYES: can cause severe irritation, redness, blurred vision. INHALATION: dizziness, weakness, fatigue, headache. INGESTION: can cause gastrointestinal irritation, nausea, vomiting, diarrhea.

SKIN: thoroughly wash area with soap and water, remove contaminated clothing and wash. EYES: flush with large amounts of water. INGESTION: if individual is conscious and alert – immediately drink two glasses of water and induce vomiting. DO NOT give anything by mouth to drowsy or unconscious individual. INHALATION: Remove individual from exposure and into fresh air. If symptoms persist, seek medical attention.

Section VII – Precautions for Safe Handling and Use

Use absorbent sweeping compound to soak up material. Dispose as hazardous waste. Ventilate area, cover spill with alcohol foam.

Always dispose of materials in accordance with your local, state and federal regulations.

Keep away from heat, sparks, or open flames. Store at temperature below 120° F.

Section VIII – Control Measures

	Local Exhaust	Special
	Mechanical (General)	Other

Rubber Gloves

Chemical splash goggles

Long sleeves and Long pants / Rubber apron

Do not smoke while using. Wash hands after use.